



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : VIPER XTREM and VIPER XTREM TR - composant A
Product code : SPIT - VR.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Chemical fixing.

1.3. Details of the supplier of the safety data sheet

Registered company name : SPIT.
Address : 150, route de Lyon.26500.BOURG LES VALENCE.France.
Telephone : 0 810 102 102. Fax : 0 810 432 432.
Email : msds-reach@spit.com
<http://www.spit.fr>

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1B (Skin Sens. 1B, H317).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07

Signal Word :

WARNING

Product identifiers :

EC 218-218-1

TETRAMETHYLENE DIMETHACRYLATE

EC 248-666-3

METHACRYLIC ACID, MONOESTER WITH PROPANE-1,2-DIOL

Hazard statements :

H317

May cause an allergic skin reaction.

Precautionary statements - Prevention :

P261

Avoid breathing vapours.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response :

P302 + P352

IF ON SKIN: Wash with plenty of water.

P333 + P313

If skin irritation or rash occurs: Get medical advice/attention.

P362 + P364

Take off contaminated clothing and wash it before reuse.

Precautionary statements - Disposal :

P501

Dispose of contents/container at a disposal facility in accordance with local regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures****Composition :**

Identification	(EC) 1272/2008	Note	%
CAS: 14808-60-7 EC: 238-878-4 QUARTZ (SiO ₂) - NON RESPIRABLE		[1]	25 \leq x % < 58.9
CAS: 2082-81-7 EC: 218-218-1 REACH: 01-2119967415-30 TETRAMETHYLENE DIMETHACRYLATE	GHS07 Wng Skin Sens. 1B, H317		10 \leq x % < 20.2
CAS: 1317-65-3 EC: 215-279-6 LIMESTONE		[1]	10 \leq x % < 13.2
CAS: 43048-08-4 EC: 256-062-6 (OCTAHYDRO-4,7-METHANO-1H-INDENEDIYL)BIS(METHYLENE)BISMETHACRYLATE	GHS07 Wng Skin Irrit. 2, H315 Eye Irrit. 2, H319		2.5 \leq x % < 4.5
CAS: 27813-02-1 EC: 248-666-3 REACH: 01-2119490226-37 METHACRYLIC ACID, MONOESTER WITH PROPANE-1,2-DIOL	GHS07 Wng Skin Sens. 1, H317 Eye Irrit. 2, H319		1 \leq x % < 2
CAS: 38668-48-3 EC: 254-075-1 1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL	GHS06 Dgr Acute Tox. 2, H300 Eye Irrit. 2, H319 Aquatic Chronic 3, H412		0 \leq x % < 1.2

(Full text of H-phrases: see section 16)

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures**In the event of exposure by inhalation :**

If inhaled, move the patient into the fresh air and keep warm and at rest.

In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

No data available.

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Occupational exposure limits :**

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
14808-60-7	0.05 mg/m ³	-	-	-	R

- Belgium (Arrêté du 09/03/2014, 2014) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
14808-60-7	0,1 mg/m ³				
1317-65-3	10 mg/m ³				

- France (INRS - ED984 :2016) :

CAS	VME-ppm :	VME-mg/m ³ :	VLE-ppm :	VLE-mg/m ³ :	Notes :	TMP No :
14808-60-7	-	0.1 A	-	-	-	25
1317-65-3	-	10	-	-	-	-

- Switzerland (SUVAPRO 2017) :

CAS	VME	VLE	Valeur plafond	Notations
14808-60-7	0,15 a mg/m ³			P C1 SSC
1317-65-3	3 a	-	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, 2011) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
14808-60-7	0.3 mg/m ³	-	-	-	R
1317-65-3	- ppm 4 mg/m ³	- ppm - mg/m ³			

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (CAS: 38668-48-3)

Final use:**Workers.**

Exposure method: Dermal contact.
 Potential health effects: Long term systemic effects.
 DNEL : 0.6 mg/kg body weight/day

Exposure method: Inhalation.
 Potential health effects: Long term systemic effects.
 DNEL : 2 mg of substance/m³

TETRAMETHYLENE DIMETHACRYLATE (CAS: 2082-81-7)

Final use:**Workers.**

Exposure method: Ingestion.
 Potential health effects: Long term systemic effects.
 DNEL : 2.5 mg/kg body weight/day

Exposure method: Dermal contact.
 Potential health effects: Long term systemic effects.
 DNEL : 4.2 mg/kg body weight/day

Exposure method: Dermal contact.
 Potential health effects: Long term systemic effects.
 DNEL : 2.5 mg/kg body weight/day

Exposure method: Inhalation.
 Potential health effects: Long term systemic effects.
 DNEL : 14.5 mg of substance/m³

Exposure method: Inhalation.
 Potential health effects: Long term systemic effects.
 DNEL : 4.3 mg of substance/m³

Predicted no effect concentration (PNEC):

1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (CAS: 38668-48-3)

Environmental compartment: Soil.
 PNEC : 0.005 mg/kg

Environmental compartment: Fresh water.

PNEC :	0.017 mg/l
Environmental compartment:	Sea water.
PNEC :	0.0017 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	0.17 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	0.0782 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	0.00782 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	199.5 mg/l
METHACRYLIC ACID, MONOESTER WITH PROPANE-1,2-DIOL (CAS: 27813-02-1)	
Environmental compartment:	Soil.
PNEC :	0.727 mg/kg
Environmental compartment:	Fresh water.
PNEC :	0.904 mg/l
Environmental compartment:	Sea water.
PNEC :	0.904 mg/l
Environmental compartment:	Intermittent waste water.
PNEC :	0.972 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	6.28 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	6.28 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	10 mg/l
TETRAMETHYLENE DIMETHACRYLATE (CAS: 2082-81-7)	
Environmental compartment:	Soil.
PNEC :	0.573 mg/kg
Environmental compartment:	Fresh water.
PNEC :	0.087 mg/l
Environmental compartment:	Sea water.
PNEC :	0.0087 mg/l
Environmental compartment:	Fresh water sediment.
PNEC :	3.12 mg/kg
Environmental compartment:	Marine sediment.
PNEC :	0.312 mg/kg
Environmental compartment:	Waste water treatment plant.
PNEC :	20 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :

Physical state :	Paste.
------------------	--------

Important health, safety and environmental information

pH :	Not relevant.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	> 1
Water solubility :	Insoluble.

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO₂)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity :

1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (CAS: 38668-48-3)

Oral route : LD50 = 27.5 mg/kg
Species : Rat
OECD Guideline 423 (Acute Oral toxicityAcute Toxic Class Method)

Dermal route : LD50 > 2000 mg/kg
Species : Rat
OECD Guideline 402 (Acute Dermal Toxicity)

LIMESTONE (CAS: 1317-65-3)

Oral route : LD50 = 6450 mg/kg
Species : Rat

TETRAMETHYLENE DIMETHACRYLATE (CAS: 2082-81-7)

Oral route : LD50 > 5000 mg/kg
Species : Rat

Dermal route : LD50 > 3000 mg/kg
Species : Rabbit

11.1.2. Mixture

No toxicological data available for the mixture.

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 14808-60-7 : IARC Group 1 : The agent is carcinogenic to humans.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (CAS: 38668-48-3)

Fish toxicity : LC50 = 17 mg/l
Species : Brachydanio rerio
Duration of exposure : 96 h

Crustacean toxicity : EC50 = 28.8 mg/l
Species : Daphnia magna
Duration of exposure : 48 h
OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Algae toxicity : ECr50 = 245 mg/l
Species : Desmodesmus subspicatus
Duration of exposure : 72 h

NOEC = 57.8 mg/l
Species : Desmodesmus subspicatus
Duration of exposure : 72 h

LIMESTONE (CAS: 1317-65-3)

Fish toxicity : LC50 = 10000 mg/l
Species : Oncorhynchus mykiss
Duration of exposure : 96 h

Crustacean toxicity : EC50 > 1000 mg/l
Species : Daphnia magna
Duration of exposure : 48 h

Algae toxicity : ECr50 > 200 mg/l
Species : *Desmodesmus subspicatus*
Duration of exposure : 72 h

TETRAMETHYLENE DIMETHACRYLATE (CAS: 2082-81-7)

Fish toxicity : LC50 = 32.5 mg/l
Duration of exposure : 48 h

NOEC > 1 mg/l

Crustacean toxicity : EC50 = 22.1 mg/l

EC10 mg/l
Duration of exposure : 21 days

NOEC = 5.09 mg/l
Duration of exposure : 21 days

Algae toxicity : ECr50 = 9.79 mg/l
Duration of exposure : 72 h

EC10 mg/l
Duration of exposure : 72 h

NOEC = 2.11 mg/l
Duration of exposure : 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

TETRAMETHYLENE DIMETHACRYLATE (CAS: 2082-81-7)

Biodegradability : Rapidly degradable.

1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (CAS: 38668-48-3)

Chemical oxygen demand : DCO = 2.36 g/g

Five-day biochemical oxygen demand : DBO5 = 0.011 g/g

Biodegradability : Non-rapidly degradable.
DBO5/DCO = 0.00

12.3. Bioaccumulative potential

12.3.1. Substances

1,1'-(P-TOLYLIMINO)DIPROPAN-2-OL (CAS: 38668-48-3)

Octanol/water partition coefficient : log K_{ow} = 2.1

TETRAMETHYLENE DIMETHACRYLATE (CAS: 2082-81-7)

Octanol/water partition coefficient : log K_{ow} = 3.1

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, VwVwS vom 27/07/2005, KBws) :

WGK 1 : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

No data available.

- Particular provisions :


No data available.

- German regulations concerning the classification of hazards for water (WGK, VwVwS vom 27/07/2005, KBws) :

WGK 1 : Slightly hazardous for water.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=2 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H300	Fatal if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations :

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.